# AIKEN CHEMICAL COMPANY, INC. Safety Data Sheet Purple Power Industrial Strength Cleaner/Degreaser

## **SECTION 1: Identification**

#### 1.1 Product identifier

Product name Purple Power Industrial Strength Cleaner/Degreaser

Product number 4302P; 4315PS; 4319PS; 4320P; 4322P; 4325P; 4330; 4340; PP275; PP330

Brand Purple Power

#### 1.3 Recommended use of the chemical and restrictions on use

Uses: Degreasing/Cleaning parts; Pre-treat grease stains in clothing; Degreasing Floors; Degreasing grills;

DO NOT USE: Polished aluminum; Chrome; Painted surfaces; Glass.

### 1.4 Supplier's details

Name Aiken Chemical Company, Inc.

Address P.O. Box 29616

Greenville, SC 29650

USA

Telephone 864-968-1250 Fax 864-968-1252

email donnie@clean-rite.com

**1.5 Emergency phone number(s)** 800-424-9300

## **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

- Acute toxicity, dermal (chapter 3.1), Cat. 5
- Acute toxicity, inhalation (chapter 3.1), Cat. 5
- Serious eye damage/eye irritation (chapter 3.3), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2

#### 2.2 GHS label elements, including precautionary statements

## **Pictogram**



Signal word Warning

Hazard statement(s)

H313 May be harmful in contact with skin

H315 Causes skin irritation

H318 Causes serious eye damage H333 May be harmful if inhaled

Precautionary statement(s)

P260 Do not breathe fume/gas/mist/vapors/spray. P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water

## Purple Power Industrial Strength Cleaner/Degreaser

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with all local, state, and federal

regulations.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## **Hazardous components**

## 1. Sodium Hydroxide 25%

Concentration 3 - 4 % (weight) CAS no. 1310-73-2

- Corrosive to metals (chapter 2.16), Cat. 1Skin corrosion/irritation (chapter 3.2), Cat. 1
- Serious eye damage/eye irritation (chapter 3.3), Cat. 1
- Hazardous to the aquatic environment, short-term (acute) (chapter 4.1), Cat. 3

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage H402 Harmful to aquatic life

## 2. Chelating Agent

Concentration 1 - 2 % (weight) CAS no. 67401-50-7

- Corrosive to metals (chapter 2.16), Cat. 1 - Acute toxicity, inhalation (chapter 3.1), Cat. 4
- Serious eye damage/eye irritation (chapter 3.3), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Specific target organ toxicity following repeated exposure (chapter 3.9), Cat. 2

H290 May be corrosive to metals H315 Causes skin irritation

H318 Causes serious eye damage H333 May be harmful if inhaled

H373 May cause damage to organs [organs] through prolonged or repeated

exposure [route]

## 3. Diethylene Glycol Monobutyl ether

 Concentration
 1 - 2 % (weight)

 EC no.
 203-961-6

 CAS no.
 112-34-5

- Serious eye damage/eye irritation (chapter 3.3), Cat. 2A

H315 Causes skin irritation
H320 Causes eye irritation

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

## **SECTION 4: First-aid measures**

## 4.1 Description of necessary first-aid measures

General advice Consult a physician/doctor if necessary. Take proper precautions to ensure

your own health and safety before attempting rescue and providing first aid.

Show this material safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

In case of skin contact Rinse with plenty of water. Get medical attention if irritation develops and

persists.

In case of eye contact Remove contact lenses if present. Immediately flush eyes with large amounts

of water for at least 15 minutes, lifting upper and lower eyelids periodically to insure complete flushing. Seek medical attention irritation persist or if you

feel unwell.

If swallowed DO NOT induce vomiting. If conscious, dilute by giving 2-3 glasses of water.

Seek medical attention.

## 4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of immediate medical attention and special treatment needed, if necessary

If any symptoms listed above become present and or persist, contact a physician immediately. Treat symptomatically

# **SECTION 5: Fire-fighting measures**

#### 5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

#### 5.2 Specific hazards arising from the chemical

Based on all ingredients and dilution factors, this product is not expected to have any specific hazards.

----

Sodium Hydroxide 25%: Fire Hazard: Not flammable. Explosion Hazard: Product is not explosive. Reactivity: May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas.

----

Chelating Agent: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Nitrogen oxides. Carbon monoxide. Carbon dioxide. This material will not burn until the water has evaporated. Residue can burn.

----

Diethylene Glycol Monobutyl ether: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside containers. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Always stay away from tanks engulfed in fire.

## 5.3 Special protective actions for fire-fighters

Fire fighters should enter area only if they are protected from all contact with the material. Full protective clothing, including self-contained breathing apparatus, coat, pants, gloves, boots and bands around legs, arms, and waist, should be worn. No skin surfaces should be exposed.

#### **Further information**

Slipping hazard if product is spilled on the floor.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

## Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## 1. Sodium Hydroxide 25% (CAS: 1310-73-2)

PEL-C (Inhalation): 2 mg/m3 (Cal/OSHA)

TLV® (Inhalation): 2 mg/m3 (ACGIH)

TLV®: 2 mg/m3; USA (ACGIH)

REL-C (Inhalation): 2 mg/m3 (NIOSH)

PEL-C: 2 mg/m3; USA (NIOSH)

PEL-C: 2 mg/m3; USA (OSHA)

## 2. GLYCOL ETHER DB (CAS: 112-34-5 EC: 203-961-6)

TWA: 10 ppm (ACGIH)

US (ACGIH)

2013

## 8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## 8.3 Individual protection measures, such as personal protective equipment (PPE)

### **Pictograms**









## Purple Power Industrial Strength Cleaner/Degreaser

## Eye/face protection

Face shield and/or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

## **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Liquid
Odor

mild

Odor threshold No data available.

Hq 11 - 12 0°C (32°F) Melting point/freezing point Initial boiling point and boiling range 100°C (212°F) Not Flammable Flash point Evaporation rate No data available. Flammability (solid, gas) Not Flammable Upper/lower flammability limits No data available. Upper/lower explosive limits No data available. Vapor pressure No data available.

Vapor density No data available.

Relative density

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

1.02

Complete in water

No data available.

No data available.

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

No data available.

#### Other safety information

No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Based on all ingredients and dilution factors, this product is expected to have low reactivity with metal.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

Version: 2.0, Revision: 2018-09-28, Date of issue: 2017-10-23, p. 5 of 10

## Purple Power Industrial Strength Cleaner/Degreaser

## 10.3 Possibility of hazardous reactions

Based on all ingredients and dilution factors, this product is not expected to have any hazardous reactions.

#### 10.4 Conditions to avoid

Avoid storing in direct sunlight and avoid extremes of temperature.

## 10.5 Incompatible materials

Based on all ingredients and dilution factors, this product should be brought in contact with strong oxidizers.

----

Sodium Hydroxide 25%: Strong acids. Strong oxidizers. Metals.

----

Chelating Agent: Avoid contact with: Oxidizers. Flammable hydrogen may be generated from contact with metals such as: Aluminum.

----

Diethylene Glycol Monobutyl ether: Oxidizers, Acids, Alkalis

## 10.6 Hazardous decomposition products

Based on all ingredients and dilution factors, this product is not expected to decompose.

\_\_\_\_

Sodium Hydroxide 25%: Hydrogen.

----

Chelating Agent: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Ammonia. Nitrogen oxides.

----

Diethylene Glycol Monobutyl ether: Not expected to decompose under normal conditions.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Sodium Hydroxide 25%: The components of this material have been reviewed in various sources and the following selected endpoints are published:

Sodium Hydroxide(1310-73-2) Oral LD50 Rat 140-340 mg/kg; Dermal LD50 Rabbit 1350 mg/kg

----

Chelating Agent: Oral: LD50, Rat, 3 030 mg/kg Estimated.

Skin: LD50, Rabbit, > 5 000 mg/kg Estimated.

----

Diethylene Glycol Monobutyl ether: Acute oral toxicity: Based on acute toxicity values, not classified.

LD50: 2,410 mg/kg Species: Mouse Acute inhalation toxicity: Based on acute toxicity values, not classified.

LC50: > 2.1 mg/l Exposure time: 4 HOURS Species: Rat Acute dermal toxicity: Based on acute toxicity values, not classified.

LD50: 2,764 mg/kg Species: Rabbit Skin corrosion/irritation: Based on skin irritation values, not classified.

#### Skin corrosion/irritation

Based on all ingredients and dilution factors, this product is expected to cause skin irritation.

----

Sodium Hydroxide 25%: Severely corrosive to the skin. Causes severe burns.

----

Chelating Agent: Prolonged contact may cause skin irritation with local redness. Repeated contact may cause skin burns. Symptoms may include pain, severe local redness, swelling, and tissue damage.

----

Diethylene Glycol Monobutyl ether: May cause slight transient skin irritation.

#### Serious eye damage/irritation

Based on all ingredients and dilution factors, this product is expected to cause serious eye irritation.

----

## Purple Power Industrial Strength Cleaner/Degreaser

Sodium Hydroxide 25%: Severely corrosive to the eyes. Causes eye burns. Direct contact with the eyes can cause irreversible damage, including blindness.

----

Chelating Agent: May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

## Respiratory or skin sensitization

Based on all ingredients and dilution factors, this product is not expected to cause skin sensitization.

----

Sodium Hydroxide 25%: Not sensitizing

----

Chelating Agent: For skin sensitization: Relevant data not available. For respiratory sensitization: Relevant data not available.

----

Diethylene Glycol Monobutyl ether: No adverse effect observed.

#### Germ cell mutagenicity

Based on all ingredients and dilution factors, this product is not expected to be a germ cell mutagen.

\_\_\_\_

Chelating Agent: Most data indicate that EDTA and its salts are not mutagenic. Minimal effects reported are likely due to trace metal deficiencies resulting from Chelating by EDTA.

----

Diethylene Glycol Monobutyl ether: No adverse effect observed.

## Carcinogenicity

Based on all ingredients and dilution factors, this product is not expected to cause cancer.

----

Sodium Hydroxide 25%: NTP Not listed. IARC Not listed. OSHA Not listed.

----

Chelating Agent: The trisodium salt of EDTA did not cause cancer in laboratory animals.

----

Diethylene Glycol Monobutyl ether: Contains a substance that has a positive carcinogenicity study. The weight of evidence for the carcinogenicity of this substance does not meet the criteria for classification.

#### Reproductive toxicity

Based on all ingredients and dilution factors, this product is not expected to be a reproductive toxin.

----

Sodium Hydroxide 25%: No known reproductive toxicity, mutagenic or teratogenic effects in animal experiments are known.

----

Chelating Agent: No relevant data found.

----

Diethylene Glycol Monobutyl ether: No adverse effect observed.

#### STOT-single exposure

Based on all ingredients and dilution factors, this product is not an STOT-SE Toxicant.

----

Chelating Agent: Evaluation of available data suggests that this material is not an STOT-SE Toxicant.

\_\_\_\_

Diethylene Glycol Monobutyl ether: Based on single exposure toxicity values, not classified.

## STOT-repeated exposure

Based on all ingredients and dilution factors, this product is not expected to be toxic to any specific organ with repeated exposure.

----

Chelating Agent: Based on information for a similar material: In animals, effects have been reported on the following organs: Respiratory tract.

----

## Purple Power Industrial Strength Cleaner/Degreaser

Diethylene Glycol Monobutyl ether: Based on repeated exposure toxicity values, not classified.

#### **Aspiration hazard**

Based on all ingredients and dilution factors, this product is not expected to be a aspiration hazard.

----

Chelating Agent: Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

-----

Diethylene Glycol Monobutyl ether: Based on physical-chemical values or lack of human evidence, not classified.

# **SECTION 12: Ecological information**

## **Toxicity**

Sodium Hydroxide 25%: Fish: 96 Hr LC50 Western Mosquitofish: 125 mg/L; 48 Hr LC50 Bluegill: 99 mg/L Invertebrate: 48 hr EC50 Daphnia magna: 34.59 - 47.13 mg/L

----

Chelating Agent: LC50, Pimephales promelas (fathead minnow), 96 Hour, > 100 mg/l

LC50, Lepomis macrochirus (Bluegill sunfish), 96 Hour, 157 - 2,070 mg/l

----

Diethylene Glycol Monobutyl ether: Low acute toxicity to fish; Low acute toxicity to aquatic invertebrates; Low toxicity to algae; Low toxicity to sewage microbes. Based on acute aquatic toxicity values, not classified.

## Persistence and degradability

Based on all ingredients and dilution factors, this product may be readily biodegradable.

----

Sodium Hydroxide 25%: No information available

----

Chelating Agent: Biodegradability: For similar material(s): Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

----

Diethylene Glycol Monobutyl ether: Biodegradability: 92 % Rapidly degradable. (After 28 days in a ready biodegradability test)

#### Bioaccumulative potential

Based on all ingredients and dilution factors, this product is not expected to be bio-accumulative.

\_\_\_\_

Sodium Hydroxide 25%: This product is not expected to bioaccumulate.

----

Chelating Agent: Bioaccumulation: For similar material(s): Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

----

Diethylene Glycol Monobutyl ether: Bioconcentration factor (BCF): 1.4 - 3.2 Method: (QSAR calculated value) This material is not expected to bioaccumulate.

#### Mobility in soil

Based on all ingredients and dilution factors, this product is not expected to hydrolyze readily.

----

Sodium Hydroxide 25%: No information available.

----

Chelating Agent: No relevant data found.

----

Diethylene Glycol Monobutyl ether: Stability in soil no data available Low absorption to soil particulates predicted: Stability in Component 1 Not expected to hydrolyze readily.

#### Results of PBT and vPvB assessment

Based on all ingredients and dilution factors, this product has not been assessed for persistence, bioaccumulation ans toxicity (PBT).

Version: 2.0, Revision: 2018-09-28, Date of issue: 2017-10-23, p. 8 of 10

# Purple Power Industrial Strength Cleaner/Degreaser

----

Chelating Agent: This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

# **SECTION 13: Disposal considerations**

## Disposal of the product

Dispose in accordance with all applicable federal, state and local regulation. Contact your federal, state, and local authorities for specific rules.

## Disposal of contaminated packaging

Dispose in accordance with all applicable federal, state, and local regulation. Contact your federal, state and local authorities for specific rules.

# **SECTION 14: Transport information**

## DOT (US)

UN Number: Not regulated as dangerous goods.

Class: N/A

Packing Group: N/A

Proper Shipping Name: N/A Reportable quantity (RQ): N/A

Marine pollutant: N/A

Poison inhalation hazard: N/A

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This material is not known to contain a chemical substance known to the State of California to cause cancer, reproductive, or developmental toxicity under California Proposition 65. However, LyondellBasell has not tested for the presence of listed chemical substances.

#### Pennsylvania Right To Know Components

Sodium Hydroxide 1310-73-2

#### SARA 311/312 Hazards

Acute (immediate) health effects: No Chronic (delayed) health effects: No Sudden release of pressure hazard: No

Reactivity hazard: No Fire hazard: No

## **Toxic Substances Control Act (TSCA) Inventory**

Product exempt or listed on the TSCA Inventory.

## 15.2 Chemical Safety Assessment

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)


Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

## **HMIS Rating**



# Safety Data Sheet Purple Power Industrial Strength Cleaner/Degreaser

## **NFPA Rating**



## **SECTION 16: Other information**

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x =Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one

half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

fw = fresh water

mw = marine water

or = occasional release

dw = dry weight

SCBA = Self Contained Breathing Apparatus

Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S\* - Skin notation

TSCA - Toxic Substance Control Act

## 16.1 Further information/disclaimer

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship. Safety Data Sheet information is based on the individual ingredients Safety Data Sheets provided by the supplier.

## 16.2 Preparation information

Aiken Chemical Company, Inc. P.O. Box 27147, Greenville, SC, 29616

Ph: 864-968-1250; Tollfree: 800-828-1860; Fax: 864-968-1252