

# SAFETY DATA SHEET

Creation Date 20-December-2007

Revision Date 24-December-2021

Revision Number 5

1. Identification					
Product Name	Phenyl ether				
Cat No. :	AC130600000; AC130600010; AC130600025; AC130600050; AC130600100; AC130601000; AC130605000				
CAS-No Synonyms	101-84-8 Diphenyl oxide; Diphenyl ether				
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.				
Details of the supplier of the safety	data sheet				
Company Importer/Distributor Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6, Canada Tel: 1-800-234-7437	Acros Organics One Reagent Lane Fair Lawn, NJ 07410	<b>Manufacturer</b> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100			
Emergency Telephone Number	For information <b>US</b> call: 001-800-ACROS-01 / <b>Europe</b> call: +32 14 57 52 11 Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe:</b> +32 14 57 52 99 <b>CHEMTREC</b> Tel. No. <b>US:</b> 001-800-424-9300 / <b>Europe:</b> 001-703-527-3887				
	2. Hazard(s) identific	cation			
Classification WHMIS 2015 Classification	Classified as hazardous under the Haz	zardous Products Regulations (SOR/2015-17)			
Serious Eye Damage/Eye Irritation	Category 2				
Label Elements					
<b>Signal Word</b> Warning					
Hazard Statements Causes serious eye irritation					



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Disposal

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Diphenyl oxide	101-84-8	>95

4. First-aid measures					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.				
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.				
Ingestion	Clean mouth with water. Get medical attention.				
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically				

## 5. Fire-fighting measures

Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam.
Unsuitable Extinguishing Media	No information available
Flash Point	115 °C / 239 °F
Method -	No information available
Autoignition Temperature	618 °C / 1144.4 °F
Explosion Limits Upper Lower	1.5% 0.8%

#### Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health 2			Physical hazards N/A			
	6. Accidental re	lease measures				
Personal Precautions Environmental Precautions	Do not flush into surface v	on. Use personal protective equivater or sanitary sewer system. void release to the environment.	See Section 12 for additional			
Methods for Containment and Cle Up	Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, up sawdust). Prevent product from entering drains. Keep in suitable, closed containers for disposal. Provide adequate ventilation. Do not flush into surface water or sanitary sewer system.					
	7. Handling	and storage				
Handling	Avoid contact with skin an Minimize dust generation	-	o not breathe mist/vapors/spray.			
Storage.Keep in a dry, cool and well-ventilated place. Keep container tightly closed. In Materials. Strong oxidizing agents.						

## 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diphenyl oxide	TWA: 1 ppm TWA: 7 mg/m <sup>3</sup> STEL: 2 ppm STEL: 14 mg/m <sup>3</sup>	TWA: 1 ppm STEL: 2 ppm	TWA: 1 ppm STEL: 2 ppm	TWA: 1 ppm TWA: 7 mg/m <sup>3</sup> STEL: 2 ppm STEL: 14 mg/m <sup>3</sup>	STEL: 2 ppm	(Vacated) TWA: 1 ppm (Vacated) TWA: 7 mg/m <sup>3</sup> TWA: 1 ppm TWA: 7 mg/m <sup>3</sup>	TWA: 1 ppm

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Hand Protection	Goggles Protective gloves		
Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			
Increat alouen hefore une	heary a the instructions regarding	oormoobility and brooktbrough	time which are provided by the

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

No protective equipment is needed under normal use conditions.

#### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties					
Physical State	Low melting solid				
Appearance	Light yellow				
Odor	aromatic				
Odor Threshold	No information available				
рН	No information available				
Melting Point/Range	26 - 30 °C / 78.8 - 86 °F				
Boiling Point/Range	259 °C / 498.2 °F @ 760 mmHg				
Flash Point	115 °C / 239 °F				
Evaporation Rate	No information available				
Flammability (solid,gas)	Not applicable				
Flammability or explosive limits					
Upper	1.5%				
Lower	0.8%				
Vapor Pressure	0.02 mmHg @ 25 °C				
Vapor Density	> 5.86 @ 25 °C				
Specific Gravity	1.073				
Solubility	Insoluble in water				
Partition coefficient; n-octanol/water	No data available				
Autoignition Temperature	618 °C / 1144.4 °F				
Decomposition Temperature	No information available				
Viscosity	3.4909 mPa/s at 28 °C				
Molecular Formula	C12 H10 O				
Molecular Weight	170.21				

## 10. Stability and reactivity

Reactive HazardNone known, based on information availableStabilityStable under recommended storage conditions. May form explosive peroxides.

Page 4/7

Conditions to Avoid	Incompatible products.			
Incompatible Materials	Strong oxidizing agents			
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			
	11. Toxicological information			

## Acute Toxicity

#### **Product Information Component Information**

Componen		LD50 Oral				LC50 Inhalation	
Diphenyl oxide		LD50 = 2450 mg/kg (Rat	.D50 = 2450 mg/kg (Rat) LD50 > 7940 mg/kg (Rabbit)		Not listed		
oxicologically Syn	ergistic	No information availa	able				
Products	-						
elayed and immed	iate effects as	well as chronic effects	s from short ar	d long-term exposi	ure		
Irritation Irritating to eyes							
Sensitization		No information availa	able				
Carcinogenicity		The table below indic	cates whether ea	ach agency has listed	d any ingredient	as a carcinoge	
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Diphenyl oxide	101-84-8	Not listed	Not listed	Not listed	Not listed	Not listed	
Iutagenic Effects		No information availa	able				
Reproductive Effects No information available.							
Developmental Effe	cts	No information availa	able.				
eratogenicity		No information availa	able.				
TOT - single expos TOT - repeated ex		None known None known					
spiration hazard		No information availa	No information available				
Symptoms / effects lelayed	,both acute ai	d No information available					
Indocrine Disrupto	r Information	No information available					
		The toxicological properties have not been fully investigated.					

# 12. Ecological information

**Ecotoxicity** The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Diphenyl oxide	Not listed	LC50: 4 - 7.9 mg/L, 96h static (Pimephales promelas) LC50: = 4 mg/L, 96h	EC50 = 3.64 mg/L 30 min	LC50: 0.11 - 1.1 mg/L, 48h (Daphnia magna)

			flow-through (Pimephales promelas)	
Persistence and Degradability Ma		May persist		
Bioaccumulation/ Accum	nulation	No informatio	n available.	

Mobility

. Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Diphenyl oxide	4.2

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information					
DOT					
UN-No	UN3077				
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.				
Hazard Class	9				
Packing Group					
<u>TDG</u>					
UN-No	UN3077				
Proper Shipping Name	Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.				
Hazard Class	9				
Packing Group					
IATA_					
UN-No	UN3077				
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.*				
Hazard Class	9				
Packing Group	III				
IMDG/IMO					
UN-No	UN3077				
Proper Shipping Name	Environmentally hazardous substances, solid, n.o.s.				
Hazard Class	9				
Packing Group					
	15. Regulatory information				

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	notific	nventory ation - Inactive	EINECS	ELINCS	NLP
Diphenyl oxide	101-84-8	Х	-	Х	ACT	ΓIVE	202-981-2	-	-
Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Diphenyl oxide	101-84-8	X	KF-27676		X	X	X	X	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Diphenyl oxide	Part 4 Substance		

#### **Other International Regulations**

#### Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Diphenyl oxide	101-84-8	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Diphenyl oxide	101-84-8	Not applicable	Not applicable	Not applicable	Annex I - Y40

16. Other information		
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com	
Creation Date Revision Date Print Date Revision Summary	20-December-2007 24-December-2021 24-December-2021 This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**